

AMRL-TR-66-115



STANDARDIZATION OF SYMBOLS AND UNITS FOR ENVIRONMENTAL RESEARCH

W. C. KAUFMAN, Lieutenant Colonel, USAF

AUGUST 1966

300 .65 11-02
1 - 300 V

Distribution of this
document is unlimited

DDC
207700
B

AEROSPACE MEDICAL RESEARCH LABORATORIES
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

AD 644684

NOTICES

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Requests for copies of this report should be directed to either of the addressees listed below, as applicable:

Federal Government agencies and their contractors registered with Defense Documentation Center (DDC):

DDC
Cameron Station
Alexandria, Virginia 22314

Non-DDC users (stock quantities are available for sale from):

Chief, Input Section
Clearinghouse for Federal Scientific & Technical Information (CFSTI)
Sills Building
5285 Port Royal Road
Springfield, Virginia 22151

Organizations and individuals receiving reports via the Aerospace Medical Research Laboratories' automatic mailing lists should submit the addressograph plate stamp on the report envelope or refer to the code number when corresponding about change of address or cancellation.

Do not return this copy. Retain or destroy.

1000 - October 1966 8-177

ACCESSION NO.	
CFSTI	WHITE SECTION <input checked="" type="checkbox"/>
DDC	DDC SECTION <input type="checkbox"/>
U A NONCES	<input type="checkbox"/>
Specification	<input type="checkbox"/>
SECTION/AVAILABILITY CODES	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

STANDARDIZATION OF SYMBOLS AND UNITS FOR ENVIRONMENTAL RESEARCH

W. C. KAUFMAN, Lieutenant Colonel, USAF

**Distribution of this
document is unlimited**

FOREWORD

This report describes a suggested system of symbols and units for use in environmental research. It has been devised over a period of years in the Biothermal Branch, Environmental Medicine Division, Biomedical Laboratory, Aerospace Medical Research Laboratories, Wright-Patterson Air Force Base, Ohio, under project 7222, "Biophysics of Flight," task 722207, "Biophysics of Flight: Human Thermal Stress."

Publication of this report does not constitute Air Force approval of the report's findings or conclusions. It is published only for the exchange and stimulation of ideas.

J. W. HEIM, PhD
Technical Director
Biomedical Laboratory
Aerospace Medical Research Laboratories

ABSTRACT

A logical system of symbols to designate the widely accepted biological variables routinely measured in environmental research is described. Upper case letters are used for three major symbols of temperature, heat quantity, and rate of heat transfer. These are modified by upper case subscripts for physical variables and lower case subscripts for biological variables.

In a meeting called by the National Aeronautics and Space Administration (NASA) and held at NASA Manned Spacecraft Center, Houston, Texas, on 10 March 1966, representatives of the various research centers of NASA and the biological laboratories of the Air Force Systems Command agreed on the desirability of standardizing symbols and units commonly used in environmental research. In line with the system agreed upon many years ago by respiratory physiologists (ref 1) the following set of symbols is recommended.

Three major symbols will be used.

T = temperature

H = rate of heat transfer or production

Q = heat quantity

Upper case subscripts will define physical variables.

A = air

W = wall

R = radiant

E = evaporative

C = convective

D = conductive

DB = dry bulb

WB = wet bulb

Lower case subscripts will define physiological variables.

r = rectal

e = esophageal

t = tympanic

o = oral

s = skin

b = body

m = metabolism

Preceding Page Blank

A dash above any symbol will indicate a mean value and Δ will indicate a change in a variable. Should it be desired, a dot above any symbol will indicate a time derivative.

\bar{s} = mean skin

\bar{b} = mean body

ΔT_r = change in rectal temperature

For metabolic or atmospheric designations those suggested by the Federation of American Societies for Experimental Biology should be used.

\dot{V}_{O_2} = rate of oxygen consumption

P_b = barometric pressure

A second subscript will be used, if necessary, to indicate the time of the observation.

i = initial

f = final

Examples:

$$Q = H_r + H_c + H_b + H_e + H_m$$

Q = quantity of heat

H_r = radiative heat transfer

H_c = convective heat transfer

H_b = conductive heat transfer

H_e = evaporative heat transfer

H_m = metabolic heat production

Q_b = quantity of body heat storage

T_a = air temperature

T_w = wall temperature

T_{wb} = wet bulb temperature

T_r = rectal temperature

T_e = esophageal temperature

T_t = tympanic temperature

T_o = oral temperature

T_{s_i} = initial mean skin temperature

T_{b_f} = final mean body temperature

Less universally accepted terms such as "effective" or "operative" temperature, "index of strain," "heart rate," etc, shall be defined in publication as necessary. Symbols used should be abbreviations or, in any event, clearly distinguished from those such as T_e (esophageal temperature) or T_o (oral temperature).

Units used in publications shall always be in the metric system. The author is well aware of the impact units such as the newton and the joule will have on biologists in general and particularly on those who are clinically oriented. However, in the interest of standardization and uniformity, the Systeme International d'Unites as agreed upon at the 1960 Eleventh General Conference on Weights and Measures (ref 2), is recommended to the courageous.

REFERENCES

1. Federation of American Societies for Experimental Biology, "Standardization of Definitions and Symbols in Respiratory Physiology," Federation Proc. 9:602-605, 1950.
2. Mechtly, E. A., The International System of Units, Physical Constants and Conversion Factors, NASA SP-7012, Scientific and Technical Information Division, National Aeronautics and Space Administration, Washington, D.C., 1964.

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
Aerospace Medical Research Laboratories, Aerospace Medical Division, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio 45433		UNCLASSIFIED	
3. REPORT TITLE		2b. GROUP	
STANDARDIZATION OF SYMBOLS AND UNITS FOR ENVIRONMENTAL RESEARCH		N/A	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial)			
Kaufman, W. C., Lieutenant Colonel, USAF			
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS	
August 1966	9	2	
8a. CONTRACT OR GRANT NO.	8b. ORIGINATOR'S REPORT NUMBER(S)		
8. PROJECT NO. 7222	AMRL-TR-66-115		
8. Task No. 722207	8c. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)		
10. AVAILABILITY/LIMITATION NOTICES			
Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		Aerospace Medical Research Laboratories, Aerospace Medical Div., Air Force Systems Command, Wright-Patterson AFB, Ohio	
13. ABSTRACT			
<p>A logical system of symbols to designate the widely accepted biological variables routinely measured in environmental research is described. Upper case letters are used for three major symbols of temperature, heat quantity, and rate of heat transfer. These are modified by upper case subscripts for physical variables and lower case subscripts for biological variables.</p>			

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Standardized symbols						
Units, metric system						
Biological variables						
Physical variables						
Physiological variables						
Environmental research						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.